



Onsite Wastewater Treatment Systems Commission Sunol Septic Work Group

Tuesday, March 12, 2019

Meeting Agenda

Time: 6:00 pm
Location: Sunol Glen School Cafeteria
11601 Main St
Sunol, CA 94586

1. Call To Order – Called to order by Connie De Grange at 6:06pm

ACDEH Staff present – Teena Whitmer, Dilan Roe

SCAC Members present – Connie De Grange

Other Staff present – Norm Hantzsche (Questa Engineering)

2. Questa

a. Onsite Wastewater Management District – Norm provided summary of county wide standards and how Onsite Wastewater Management District can be customized to Sunol community and possibility of public financing assistance.

i. Reduced Setback Distances – Norm discusses setback variance process with the County for consideration as standards for properties to be approved by BOS.

ii. Building Remodel Options under Onsite Wastewater Management District

b. Graywater Systems – Can be incorporated as accepted practice as part of Onsite Wastewater approval. Most county health departments have assumed the policy of not allowing the graywater systems to be credited as supplying any of the required disposal capacity for a house. However, the Graywater Code does not mandate this policy. Key siting criteria graywater systems was discussed.

c. Feasibility Study Treatment Options – Options include onsite system upgrades with local management/maintenance district oversight, community system for Kilkare Woods, combination of several cluster systems and onsite upgrades for Kilkare Woods, community system for downtown Sunol, combined community

system for Kilkare Woods and Sunol, community system for entire study area, and a hybrid approach including variations of the above options.

3. Next meeting: Tuesday, April 9, 2019

4. Adjournment – Meeting adjourned at 7:24pm

The meeting room is wheelchair accessible. A Sign Language interpreter may be available upon five (5) days' notice. Please telephone 510-670-5400.

Any member of the audience desiring to address the Commission should complete a speaker form and submit it to the facilitator prior to the start of the meeting or as soon as possible after the meeting begins.

Each speaker may be limited to three (3) minutes.